



COMPRO ELECTRONICS

Shenzhen Factory Add.:

2nd Floor, Building No.5, Jinmeiwei Industrial Park, No.12 Xingye West Road,
Heyi Community, Shajing Street, Baoan District, Shenzhen

Changzhou Factory Add.:

Liban Road, Lia Town, Wujin, Changzhou, Jiangsu

Tel: +86 519 88315733
Email: comp188@188.com

Fax: +86 519 88315722
www.compele.com



www.compele.com


COMPRO



FACTORY



CHARGER WORKSHOP



RECEPTION



SHOW ROOM



CABLE WORKSHOP




SMT WORKSHOP



OFFICE



R&D OFFICE



AGING WORKSHOP



MULTIFUNCTIONAL TESTING



COMPANY HISTORY

2003

Started business to export through State-owned Company

2006

Established Changzhou Comp Electronics, and set up three production lines for audio video cables

2011

Operated ERP System

2016

Started to produce USB data cable, Car charger, Wall charger, and cellphone accessories.

2018

Established Shenzhen Comp Electronics

2020

Obtained FSC certificate

2005

Established Changzhou Jundi Imp.& Exp.

2010

Obtained ISO9001. Got HDMI Adaptor certificate, and started to produce HDMI cable

2015

Obtained BSCI certificate

2017

Got MFI license. Became the USB-IF member

2019

Produced Wireless charger, and started to develop Earphone, Power bank products

2023

Obtained GRS certificate. Established Shenzhen Virtue Industrial Co.,Ltd.

CERTIFICATE



C

CHARGER



HC-232

OUTPUT C(C1=C2=C3): 5V/3A, 9V/3A, 12V/3A,
15V/3A, 20V/5A
OUTPUT A (A1=A2): 5V/3A, 9V/3A, 12V/3A,
20V/3A(60W MAX)
A1+A2=12W+12W
C1/C2+C2/C3=95W+45W
C1/C2/C3+A1/A2=100W+36W
C1/C2/C3+A1+A2=100W+12W+12W
C1+C2+C3=65W+45W+30W
C1/C2+C2/C3+A1/A2=65W+45W+18W
C1/C2+C2/C3+A1+A2=65W+45W+12W+12W
C1+C2+C3+A1/A2=65W+30W+20W+18W
C1+C2+C3+A1+A2=65W+30W+20W+12W+12W



140W

HC-167

100W PD 4 PORTS WIRED DESKTOP
CHARGER
OUTPUT A : 5V/3A, 9V/3A, 12V/3A,
20V/3A(60W MAX)
OUTPUT C(C1=C2=C3): 5V/3A, 9V/3A,
12V/3A, 15V/3A, 20V/5A MAX(PPS: 3.3 –
20V5A)(100W MAX)
C1+C2: 65W+30W
C3+A: 12W+12W
C1/C2+C3/A: 65W+30W
C1/C2+C3+A: 80W+10W+10W
C1+C2+C3/A: 60W+20W+20W
C1+C2+C3+A: 60W+20W+10W+10W



100W

HC-233

OUTPUT:USB-C1/USB-C2=100W
5V/3A 9V/3A 12V/3A 15V/3A
20V/5A(PPS:3.3-20V5A) (100W MAX)
USB-A 5V3A 9V3A 12V3A 20V3A (60W MAX)
C1+C2=65W+35W
C2+A=5V4.8A=24W
C1+A=65W+18W
C1+C2+A=65W+24W



100W

HC-234

OUTPUT:USB-C1/USB-C2/USB-C3=100W
5V3A 9V3A 12V3A 15V3A 20V5A(PPS:3.3-20V5A)
(100W MAX)
USB-A1=5V3A 9V3A 12V3A 20V3A (60W MAX)
C1+C2=65W+30W
C3+A1=5V4.8A=24W
C1+C3/A1=65W+30W
C2+C3/A1=65W+30W
C1/C2+A1=65W+30W
C1/C2+C3=65W+30W
C1/C2+C3/A1=65W+30W
C1/C2+C3+A1=80W+10W+10W
C1+C2+C3/A1=60W+20W+20W
C1+C2+C3+A1=60W+20W+10W+10W



100W



65W



HC-202

OUTPUT-C1: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A
 OUTPUT-C2: 5V/2.4A, 9V/2.22A, 12V/1.67A
 OUTPUT-A: 5V/2.4A, 9V/2A, 12V/1.5A
 OUTPUT-C1+C2: 45W(C1)+20W(C2)
 OUTPUT-C1+A: 45W+18W
 OUTPUT-C2+A: 5V/2.4A
 OUTPUT-C1+C2+A: 45W(C1)+12W(C2+A)
 PPS: 5.0-11.0V/4.05A; 5.0-16.0V/3.0A
 TOTAL OUTPUT: 65W



65W

HC-203

OUTPUT-C1(65W): 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A
 OUTPUT-C2(20W): 5V/2.4A, 9V/2.22A, 12V/1.67A
 OUTPUT-C1+C2: 45W(C1)+20W(C2)
 PPS: 5.0-11.0V/4.05A; 5.0-16.0V/3.0A
 TOTAL OUTPUT: 65W



65W

HC-204

OUTPUT-A(18W): 5V/3A, 9V/2A, 12V/1.5A
 OUTPUT-C(65W): 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A
 OUTPUT A+C: 12W+45W
 PPS: 5.0-11.0V/4.05A; 5.0-16.0V/3.0A
 TOTAL OUTPUT: 65W



65W

HC-205

OUTPUT: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A
 PPS: 3.3-11.0V/4.05A; 3.3-16.0V/3.0A
 TOTAL OUTPUT: 65W



30W



HC-139

OUTPUT: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A
 OUTPUT: 5V/3A, 9V/2A, 12V/1.5A
 OUTPUT A+C: 15W(5V/3A)
 PPS: 3.3-11V/2.7A
 TOTAL OUTPUT: 30W



30W

HC-140

OUTPUT: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A
 PPS: 3.3-11V/2.7A
 TOTAL OUTPUT: 30W



25W

HC-141

OUTPUT: 5V/3A, 9V/2.67A
 PPS: 3.3-5.9V/3.0A; 3.3-11V/2.25A
 TOTAL OUTPUT: 25W



20W

HC-103

OUTPUT: 5V/3A, 9V/2.22A, 12V/1.67A
 QC3.0 OUTPUT: 5V/3A, 9V/2A, 12V/1.5A
 OUTPUT A+C: 5V/3A
 TOTAL OUTPUT: 20W



45W

HC-206

OUTPUT-C1(45W): 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A
 OUTPUT-C2(20W): 5V/2.4A, 9V/2.22A, 12V/1.67A
 OUTPUT-C1+C2: 25W(C1)+20W(C2)
 PPS: 5.0-11.0V/4.05A; 5.0-16.0V/2.8A
 TOTAL OUTPUT: 45W



45W

HC-207

OUTPUT: 5V/3A, 9V/2A, 12V/1.5A
 PD OUTPUT: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A
 OUTPUT A+C: 12W+PD30W
 PPS: 5.0-11.0V/4.05A; 5.0-16.0V/2.8A
 TOTAL OUTPUT: 45W



45W

HC-208

OUTPUT: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A
 PPS: 3.3-11.0V/4.05A; 3.3-16.0V/2.8A
 TOTAL OUTPUT: 45W



20W

HC-105

OUTPUT: 5V/3A, 9V/2.22A, 12V/1.67A
 TOTAL OUTPUT: 20W



17W

HC-135

OUTPUT: 5V/3.4A
 TOTAL OUTPUT: 17W



12W

HC-134

OUTPUT: 5V/2.4A
 TOTAL OUTPUT: 12W

65W



HC-173

OUTPUT-C1: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A
OUTPUT-C2: 5V/3A, 9V/2.22A, 12V/1.67A
OUTPUT-A: 5V/3A, 9V/2A, 12V/1.5A
OUTPUT-C1+C2: 45W(C1)+20W(C2)
OUTPUT-C1+A: 45W+18W
OUTPUT-C2+A: 5V/2.4A
OUTPUT-C1+C2+A: 45W(C1)+12W(C2+A)
PPS: 5.0-11.0V/4.05A; 5.0-16.0V/3.0A
TOTAL OUTPUT: 65W

65W



HC-174

OUTPUT-C1(65W): 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A
OUTPUT-C2(20W): 5V/2.4A, 9V/2.22A, 12V/1.67A
OUTPUT-C1+C2: 45W(C1)+20W(C2)
PPS: 5.0-11.0V/4.05A; 5.0-16.0V/3.0A
TOTAL OUTPUT: 65W

65W



HC-209

OUTPUT-A(18W): 5V/3A, 9V/2A, 12V/1.5A
OUTPUT-C(65W): 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A
OUTPUT A+C: 12W+45W
PPS: 5.0-11.0V/4.05A; 5.0-16.0V/3.0A
TOTAL OUTPUT: 65W

65W



HC-210

OUTPUT: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A
PPS: 3.3-11.0V/4.05A; 3.3-16.0V/3.0A
TOTAL OUTPUT: 65W

30W



HC-213

OUTPUT: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A
OUTPUT: 5V/3A, 9V/2A, 12V/1.5A
OUTPUT A+C: 15W(5V/3A)
PPS: 3.3-11V/2.7A
TOTAL OUTPUT: 30W

30W



HC-214

OUTPUT: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A
PPS: 3.3-11V/2.7A
TOTAL OUTPUT: 30W

25W



HC-216

OUTPUT: 5V/3A, 9V/2.67A
PPS: 3.3-5.9V/3.0A; 3.3-11V/2.25A
TOTAL OUTPUT: 25W

20W



HC-217

OUTPUT: 5V/3A, 9V/2.22A, 12V/1.67A
QC3.0 OUTPUT: 5V/3A, 9V/2A, 12V/1.5A
OUTPUT A+C: 5V/3A
TOTAL OUTPUT: 20W

45W



HC-175

OUTPUT-C1(45W): 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A
OUTPUT-C2(20W): 5V/2.4A, 9V/2.22A, 12V/1.67A
OUTPUT-C1+C2: 25W(C1)+20W(C2)
PPS: 5.0-11.0V/4.05A; 5.0-16.0V/2.8A
TOTAL OUTPUT: 45W

45W



HC-211

OUTPUT A: 5V/3A, 9V/2A, 12V/1.5A
PD OUTPUT: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A
OUTPUT-C2(20W): 5V/2.4A, 9V/2.22A, 12V/1.67A
OUTPUT A+C: 12W+PD30W
PPS: 5.0-11.0V/4.05A; 5.0-16.0V/2.8A
TOTAL OUTPUT: 45W

45W



HC-212

OUTPUT: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A
PPS: 3.3-11.0V/4.05A; 3.3-16.0V/2.8A
TOTAL OUTPUT: 45W

20W



HC-218

OUTPUT: 5V/3A, 9V/2.22A, 12V/1.67A
TOTAL OUTPUT: 20W

15W



HC-219

OUTPUT: 5V/3A
TOTAL OUTPUT: 15W

12W



HC-220

OUTPUT: 5V/2.4A
TOTAL OUTPUT: 12W

65W



Welding On Port To Make It More Safe

HC-181

OUTPUT-C1: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A
OUTPUT-C2: 5V/3A, 9V/2.22A, 12V/1.67A
OUTPUT-A: 5V/3A, 9V/2A, 12V/1.5A
OUTPUT-C1+C2: 45W(C1)+20W(C2)
OUTPUT-C1+A: 45W+18W
OUTPUT-C2+A: 5V/2.4A
OUTPUT-C1+C2+A: 45W(C1)+10W(C2)+10W(A)
PPS: 5V-11V/3.0A
TOTAL OUTPUT: 65W

65W



HC-180

OUTPUT-C1/C2: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A
OUTPUT-C1+C2: 45W(C1)+20W(C2)
PPS: 5V-11V/3.0A
TOTAL OUTPUT: 65W

65W



HC-178

OUTPUT A: 5V/3A, 9V/2A, 12V/1.5A
PD OUTPUT: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A
OUTPUT A+C: 18W+PD 45W
TOTAL OUTPUT: 65W

65W



HC-179

PD OUTPUT: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A
TOTAL OUTPUT: 65W

20W



HC-228

OUTPUT: 5V/3A, 9V/2.22A, 12V/1.67A
TOTAL OUTPUT: 20W

30W



HC-230

OUTPUT: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A
TOTAL OUTPUT: 30W

20W



HC-229

PD OUTPUT: 5V/3A, 9V/2.22A, 12V/1.67A
QC3.0 OUTPUT: 5V/3A, 9V/2A, 12V/1.5A
OUTPUT A+C: 5V/3.1A
TOTAL OUTPUT: 20W

30W



HC-231

PD OUTPUT: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A
QC3.0 OUTPUT: 5V/3A, 9V/2A, 12V/1.5A
OUTPUT A+C: 5V/3.1A
TOTAL OUTPUT: 30W

45W



HC-184

OUTPUT-C1/C2: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A
OUTPUT-C1+C2: 25W(C1)+20W(C2)
PPS: 5V-11V/3.0A
TOTAL OUTPUT: 45W

45W



HC-182

QC3.0 OUTPUT: 5V/3A, 9V/2A, 12V/1.5A
PD OUTPUT: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A
OUTPUT A+C: 12W+PD30W
TOTAL OUTPUT: 45W

45W



HC-183

PD OUTPUT: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A
TOTAL OUTPUT: 45W

20W



HC-186

20W PD 2 PORTS WALL CHARGER
PD1 OUTPUT: 5V/3A, 9V/2.22A, 12V/1.67A
QC OUTPUT: 5V/3A, 9V/2A, 12V/1.5A
OUTPUT A+C: 5V/3.4A
TOTAL OUTPUT: 20W

20W



HC-188

20W PD 1 PORT WALL CHARGER
OUTPUT: 5V/3A, 9V/2.22A, 12V/1.67A
TOTAL OUTPUT: 20W

18W



HC-190

18W QC3.0 1 PORT WALL CHARGER
OUTPUT: PD3.0 5V/3A 9V/2A 12V/1.5A
TOTAL OUTPUT: 18W

20W



HC-194

20W PD 2 PORTS WALL CHARGER
PD1 OUTPUT: 5V/3A, 9V/2.22A, 12V/1.67A
PD2 OUTPUT: 5V/3A, 9V/2.22A, 12V/1.67A
OUTPUT A+C: 5V/3.4A
TOTAL OUTPUT: 20W

mini 20W/30W



HC-146

OUTPUT: 5V/3A, 9V/2.22A, 12V/1.67A
TOTAL OUTPUT: 20W

HC-147

OUTPUT: PD3.0 5V/3A 9V/3A 12V/2.5A 15V/2A
20V/1.5A
TOTAL OUTPUT: 30W

65W



HC-236

OUTPUT-C1(65W):5V/3A, 9V/3A, 12V/3A, 15V/3A,
20V/3.25A
OUTPUT-C2(20W):5V/2.4A, 9V/2.22A, 12V/1.67A
OUTPUT-C1+C2: 45W(C1)+20W(C2)
PPS: 5.0-11.0V/4.05A; 5.0-16.0V/3.0A
TOTAL OUTPUT: 65W

65W



HC-237

OUTPUT-A(18W): 5V/3A, 9V/2A, 12V/1.5A
OUTPUT-C(65W): 5V/3A, 9V/3A, 12V/3A,
15V/3A, 20V/3.25A
OUTPUT A+C: 12W+45W
PPS: 5.0-11.0V/4.05A; 5.0-16.0V/3.0A
TOTAL OUTPUT: 65W

65W



HC-238

OUTPUT: 5V/3A, 9V/3A, 12V/3A,
15V/3A, 20V/3.25A
PPS: 3.3-11.0V/4.05A; 3.3-16.0V/3.0A
TOTAL OUTPUT: 65W

65W



5W



HC-056

USB 1 PORT WALL CHARGER
OUTPUT: 5V/1A
TOTAL OUTPUT: 5W

10W



HC-057

USB 2 PORTS WALL CHARGER
OUTPUT: 5V/2A
TOTAL OUTPUT: 10W

18W



HC-051

18W QC3.0 1 PORT WALL CHARGER
OUTPUT: PD3.0 5V/3A 9V/2A 12V/1.5A
TOTAL OUTPUT: 18W

20W



HC-054

20W PD 1 PORT WALL CHARGER
OUTPUT: PD3.0 5V/3A 9V/2.22A 12V/1.67A
TOTAL OUTPUT: 20W

HC-235

OUTPUT-C1: 5V/3A, 9V/3A, 12V/3A, 15V/3A,
20V/3.25A
OUTPUT-C2: 5V/3A, 9V/2.22A, 12V/1.67A
OUTPUT-A: 5V/3A, 9V/2A, 12V/1.5A
OUTPUT-C1+C2: 45W(C1)+20W(C2)
OUTPUT-C1+A: 45W+18W
OUTPUT-C2+A: 5V/2.4A
OUTPUT-C1+C2+A: 45W(C1)+12W(C2+A)
PPS: 5.0-11.0V/4.05A; 5.0-16.0V/3.0A
TOTAL OUTPUT: 65W

45W



HC-239

OUTPUT-C1(45W): 5V/3A, 9V/3A, 12V/3A,
15V/3A, 20V/2.25A
OUTPUT-C2(20W): 5V/2.4A, 9V/2.22A, 12V/1.67A
OUTPUT-C1+C2: 25W(C1)+20W(C2)
PPS: 5.0-11.0V/4.05A; 5.0-16.0V/2.8A
TOTAL OUTPUT: 45W


45W



HC-240

OUTPUT: 5V/3A, 9V/2A, 12V/1.5A
PD OUTPUT: 5V/3A, 9V/3A, 12V/3A,
15V/3A, 20V/2.25A
OUTPUT A+C: 12W+PD30W
PPS: 5.0-11.0V/4.05A; 5.0-16.0V/2.8A
TOTAL OUTPUT: 45W

45W



HC-241

OUTPUT: 5V/3A, 9V/3A, 12V/3A, 15V/3A,
20V/2.25A
PPS: 3.3-11.0V/4.05A; 3.3-16.0V/2.8A
TOTAL OUTPUT: 45W

138W



CC-173

USB-C1:5V/3A,9V/3A,12V/3A,15V/3A,20V/5A
USB-C2:5V/3A,9V/2.22A,12V/1.67A
USB-A:5V/3A,9V/2A,12V/1.5A
USB-C1+C2+A=100W+20W+18W

85W



CC-156

PD OUTPUT1: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A
PD OUTPUT2: 5V/3A, 9V/2.22A, 12V/1.67A
OUTPUT A+C: 65W+20W
TOTAL OUTPUT: 85W

83W



CC-155

PD OUTPUT: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A
QC3.0 OUTPUT: 5V/3A, 9V/2A, 12V/1.5A
OUTPUT A+C: 65W+18W
TOTAL OUTPUT: 83W

40W



CC-118

PD OUTPUT 1: 5V/3A, 9V/2.22A, 12V/1.67A
PD OUTPUT 2: 5V/3A, 9V/2.22A, 12V/1.67A
TOTAL OUTPUT: 40W(20W+20W)

40W



CC-164

PD OUTPUT 1: 5V/3A, 9V/2.22A, 12V/1.67A
PD OUTPUT 2: 5V/3A, 9V/2.22A, 12V/1.67A
TOTAL OUTPUT: 40W(20W+20W)

38W



CC-163

PD OUTPUT: 5V/3A, 9V/2.22A, 12V/1.67A
QC3.0 OUTPUT: 5V/3A, 9V/2A, 12V/1.5A
TOTAL OUTPUT: 38W

20W



CC-165

PD OUTPUT: 5V/3A, 9V/2.22A, 12V/1.67A
QC3.0 OUTPUT: 5V/3A, 9V/2A, 12V/1.5A
OUTPUT A+C: 5V/3.1A
TOTAL OUTPUT: 20W

20W



CC-121

PD OUTPUT: 5V/3A, 9V/2.22A, 12V/1.67A
QC3.0 OUTPUT: 5V/3A, 9V/2A, 12V/1.5A
OUTPUT A+C: 5V/3.1A
TOTAL OUTPUT: 20W

38W



CC-174

PD OUTPUT: 5V/3A, 9V/2.22A, 12V/1.67A
QC3.0 OUTPUT: 5V/3A, 9V/2A, 12V/1.5A
TOTAL OUTPUT: 38W

20W



CC-175

PD OUTPUT: 5V/3A, 9V/2.22A, 12V/1.67A
QC3.0 OUTPUT: 5V/3A, 9V/2A, 12V/1.5A
OUTPUT A+C: 5V/3.1A
TOTAL OUTPUT: 20W

15.5W



CC-176

OUTPUT: 5V/3.1A
TOTAL OUTPUT: 15.5W

18W



CC-177

OUTPUT: 5V/3A, 9V/2A, 12V/1.5A
TOTAL OUTPUT: 18W

38W



CC-096

PD OUTPUT: 5V/3A, 9V/2.22A, 12V/1.67A
QC3.0 OUTPUT: 5V/3A, 9V/2A, 12V/1.5A
TOTAL OUTPUT: 38W

20W



CC-097

OUTPUT: 5V/3A, 9V/2.22A, 12V/1.67A
TOTAL OUTPUT: 20W

20W



CC-095

PD OUTPUT: 5V/3A, 9V/2.22A, 12V/1.67A
QC3.0 OUTPUT: 5V/3A, 9V/2A, 12V/1.5A
OUTPUT A+C: 5V/3.1A
TOTAL OUTPUT: 20W

12W



CC-124

OUTPUT: 5V/2.4A
TOTAL OUTPUT: 12W

W

WIRELESS CHARGER



Qi2

WC-151

MAGNETIC WIRELESS CHARGING CAR HOLDER
WITH FAN SEMICONDUCTOR CHILLING PLATE

OUTPUT: 15W/10W/7.5W/5W

MATERIAL: GLASS FIBER + ABS



Qi2

WC-170

MAGNETIC WIRELESS CHARGING CAR HOLDER
WITH FAN SEMICONDUCTOR CHILLING PLATE

OUTPUT: 15W/10W/7.5W/5W

MATERIAL: GLASS FIBER + ABS



Qi2

WC-171

MAGNETIC WIRELESS CHARGING CAR HOLDER
WITH COLORFUL ATMOSPHERE LIGHTS AND
FAN SEMICONDUCTOR CHILLING PLATE

OUTPUT: 15W/10W/7.5W/5W

MATERIAL: GLASS FIBER + ABS



Qi2

WC-172

MAGNETIC WIRELESS CHARGING CAR HOLDER
WITH COLORFUL ATMOSPHERE LIGHTS AND
FAN SEMICONDUCTOR CHILLING PLATE

OUTPUT: 15W/10W/7.5W/5W

MATERIAL: GLASS FIBER + ABS



Qi2

WC-173

MAGNETIC WIRELESS CHARGING CAR HOLDER
WITH COLORFUL ATMOSPHERE LIGHTS

OUTPUT: 15W/10W/7.5W/5W

A: ALUMINUM ALLOY+ABS

B: PC+ABS



Qi2

WC-176

MAGNETIC WIRELESS CHARGING PAD
WITH COLORFUL ATMOSPHERE LIGHTS

OUTPUT: 15W/10W/7.5W/5W

MATERIAL: ALUMINUM ALLOY+ABS



WC-136

MAGNETIC WIRELESS CHARGING PAD

OUTPUT: 15W/10W/7.5W/5W

MATERIAL: ALUMINUM ALLOY+ABS



WC-106

MAGNETIC WIRELESS CHARGING PAD

OUTPUT: 15W/10W/7.5W/5W

MATERIAL: ALUMINUM ALLOY, ABS

COLOUR: WHITE/SILVER, BLACK/SILVER



Qi2

WC-175

MAGNETIC WIRELESS CHARGING CAR HOLDER

OUTPUT: 15W/10W/7.5W/5W

MATERIAL: GLASS FIBER + ABS



Qi2

WC-174

MAGNETIC WIRELESS CHARGING CAR HOLDER

OUTPUT: 15W/10W/7.5W/5W

MATERIAL: GLASS FIBER + ABS



WC-166

3 IN 1 MULTI-FUNCTIONAL MAGNETIC
WIRELESS CHARGER

OUTPUT 1:15W/10W/7.5W/5W/2.5W

MATERIAL: ALUMINUM ALLOY+ABS



WC-107

MAGNETIC WIRELESS CHARGING PAD

OUTPUT: 15W/10W/7.5W/5W

MATERIAL: ALUMINUM ALLOY, ABS

COLOUR: WHITE/SILVER, BLACK/SILVER



WC-108

MAGNETIC WIRELESS CHARGING CAR HOLDER
OUTPUT: 15W/10W/7.5W/5W
MATERIAL: ABS



WC-167

WIRELESS CHARGING CAR HOLDER
OUTPUT: 15W/10W/7.5W/5W
MATERIAL: GLASS FIBER + ABS
COLOUR: BLACK



WC-125

WIRELESS CHARGING CAR HOLDER
OUTPUT: 15W/10W/7.5W/5W
MATERIAL: ABS



WC-111

WIRELESS CHARGING CAR HOLDER
OUTPUT: 15W/10W/7.5W/5W
MATERIAL: ABS+PC



WC-109

WIRELESS CHARGING CAR HOLDER
OUTPUT: 15W/10W/7.5W/5W
MATERIAL: ABS+PC+GLASS



WC-177

COIL AUTO-ALIGNMENT WIRELESS CHARGING
CAR HOLDER
OUTPUT: 15W/10W/7.5W/5W
MATERIAL: GLASS FIBER + ABS



WC-098

WIRELESS CHARGING CAR HOLDER
OUTPUT: 15W/10W/7.5W/5W
MATERIAL: ABS



WCPS-6

WIRELESS CHARGING CAR HOLDER
OUTPUT: 10W/7.5W/5W
MATERIAL: ABS+PC



WC-178

3 IN 1 MAGNETIC WIRELESS CHARGING STATION WITH NIGHT LAMP
OUTPUT: 15W/10W/7.5W/5W/2.5W
MATERIAL: PC



WC-138

3 IN 1 MAGNETIC WIRELESS CHARGING STATION WITH NIGHT LAMP AND CLOCK FUNCTION
OUTPUT: 15W/10W/7.5W/5W/2.5W
MATERIAL: PC



WCPS-5

WIRELESS CHARGING STAND
OUTPUT: 15W/10W/7.5W/5W
MATERIAL: ABS HANDING FEELING OIL



WC-153

3 IN 1 WIRELESS CHARGING PAD
OUTPUT: 15W/10W/7.5W/5W/2.5W
MATERIAL: ABS



WC-142

MAGNETIC 2 IN 1 WIRELESS CHARGING PAD
OUTPUT: DOUBLE 15W/10W/7.5W/5W
MATERIAL: ANTI-SKID SILICONE +CNC ALUMINUM ALLOY BOTTOM SHELL



WC-150

3 IN 1 WIRELESS CHARGING STAND
OUTPUT: 15W/10W/7.5W/5W/2.5W
MATERIAL: PC



WC-168

3 IN 1 WIRELESS CHARGING PAD
OUTPUT: 15W/10W/7.5W/5W/2.5W
MATERIAL: ABS



WC-169

3 IN 1 WIRELESS CHARGING PAD
OUTPUT: 15W/10W/7.5W/5W/2.5W
MATERIAL: ABS



H

HUB & ADAPTER



AD-135A

4 IN 1 USB HUB
METAL SHELL USB TO USB3.0*4



AD-135B

4 IN 1 USB HUB
METAL SHELL USB+TYPE C TO USB3.0*4



AD-135C

4 IN 1 TYPE C HUB
METAL SHELL TYPE C TO USB3.0*4




AD-128

2 IN 1 TYPE C MST HUB
METAL SHELL TYPE C TO HDMI*2



AD-129

4 IN 1 TYPE C MST HUB
METAL SHELL TYPE C TO HDMI*2+PD+USB



AD-130

5 IN 1 TYPE C MST HUB
METAL SHELL TYPE C TO HDMI+VGA+DP+PD+USB





AD-089

3 IN 1 TYPE C HUB

METAL SHELL TYPE C TO HDMI+PD+USB



AD-090

5 IN 1 TYPE C HUB

METAL SHELL 2*TYPE C TO HDMI*2+PD+USB*2



AD-091

7 IN 1 TYPE C HUB

METAL SHELL 2*TYPE C TO HDMI+PD+TYPE C+SD+TF+USB*2



AD-037

3 IN 1 TYPE C HUB

METAL SHELL TYPE C TO HDMI+PD+USB



AD-126

2 IN 1 TYPE C HUB

METAL SHELL TYPE C TO MINIDP+DP



AD-133

8 IN 1 TYPE C HUB

METAL SHELL TYPE C TO HDMI+USB*3+PD+TF+SD+RJ45



AD-116

3 IN 1 TYPE C HUB

METAL SHELL TYPE C TO HDMI+PD+USB



AD-117

5 IN 1 TYPE C HUB

METAL SHELL TYPE C TO HDMI+PD+TYPE C+USB*2



AD-053

7 IN 1 TYPE C HUB

METAL SHELL TYPE C TO HDMI+PD+TYPE C+SD+TF+USB*2



AD-050

11 IN 1 TYPE C HUB

METAL SHELL TYPE C TO HDMI+RJ45+VGA+PD+TYPE C+SD+TF+USB*3+AUDIO



AD-078

7 IN 1 TYPE C HUB

TRANSPARENT SHELL TYPE C TO HDMI+PD+SD+TF+USB*3



AD-079

9 IN 1 TYPE C HUB

TRANSPARENT SHELL TYPE C TO HDMI+VGA+PD+3.5MM+SD+TF+USB*2





AD-099

TYPE C TO HDMI ADAPTER
HDMI: 8K or 4K 60Hz



AD-100

TYPE C TO DP ADAPTER
DP: 8K 60Hz



AD-101

TYPE C TO MINI DP ADAPTER
MINI DP: 8K 60Hz



AD-102

TYPE C TO VGA ADAPTER
VGA: 1080P 60Hz




AD-103

TYPE C TO RJ45 ADAPTER
RJ45: 10/100/1000Mbps Ethernet



AD-145

TYPE C TO HDMI,ABS SHELL,COLORFUL BRAIDED



AD-121

TYPE C TO HDMI+PD 60W ADAPTER
HDMI: 4K*2K 60Hz
UBC-C: PD60W



AD-122

TYPE C TO DP+PD 60W ADAPTER
DP: 8K 60Hz
UBC-C: PD60W



AD-123

TYPE C TO MINI DP+PD 60W ADAPTER
MINI DP: 8K 60Hz
UBC-C: PD60W




AD-124

TYPE C TO VGA+PD 60W ADAPTER
VGA: 1080P 60Hz
UBC-C: PD60W




AD-125

TYPE C TO RJ45+PD 65W ADAPTER
RJ45: 10/100/1000Mbps Ethernet
USB-C: PD60W



AD-146

TYPE C TO HDMI+PD,ABS SHELL,COLORFUL BRAIDED



AD-147

TYPE C TO HDMI,8K,
METAL SHELL



AD-148

TYPE C TO HDMI,
ABS SHELL



AD-149

TYPE C TO HDMI,
METAL SHELL



AD-150

TYPE C TO HDMI+PD,
METAL SHELL



AD-151

TYPE C TO HDMI+USB,
METAL SHELL



AD-134

TYPE C TO HDMI FEMALE
METAL SHELL



D

DATA CABLE



240W 40Gbps



DC-316A

TYPE C-C PD FAST CHARGING USB DATA CABLE METAL SHELL,NYLON BRAIDED

240W 20Gbps



DC-316B

TYPE C-C PD FAST CHARGING USB DATA CABLE METAL SHELL,NYLON BRAIDED

100W 10Gbps



DC-312

TYPE C-C USB DATA CABLE METAL SHELL

60W 5Gbps



DC-313

TYPE C-C USB DATA CABLE, MOLDING SHELL

240W 480Mbps



DC-311

240W TYPE C-C PD FAST CHARGING USB DATA CABLE, METAL SHELL, NYLON BRAIDED

100W 480Mbps



DC-263

100W TYPE C-C PD FAST CHARGING USB DATA CABLE METAL SHELL,NYLON BRAIDED

60W 480Mbps



DC-346

PD FAST CHARGING USB DATA CABLE, METAL SHELL,FABRIC BRAIDED

60W 480Mbps



DC-298

PD FAST CHARGING USB DATA CABLE MOLDING SHELL, TPE JACKET, LONG SR TAIL
A: TYPE C-8PIN
C:TYPE C-TYPE C

240W 40Gbps



DC-360

PD FAST CHARGING USB DATA CABLE,ABS SHELL,NYLON BRAIDED




60W 480Mbps



DC-359

PD FAST CHARGING USB DATA CABLE,ABS SHELL,NYLON BRAIDED





DC-225

ECO-FRIENDLY USB DATA CABLE WHEAT STRAW FIBRE
A:8PIN
B:MICRO
C:TYPE C



DC-227

ECO-FRIENDLY PD FAST CHARGING USB DATA CABLE WHEAT STRAW FIBRE
A:TYPE C-8PIN
C:TYPEC-TYPE C



DC-238

SILICONE USB DATA CABLE MOLDING SHELL
A: 8PIN
B:MICRO
C:TYPE C



DC-243

SILICONE PD FAST CHARGING USB DATA CABLE MOLDING SHELL
A: TYPE C-8PIN
C:TYPE C-TYPE C



P

PACKAGING



DC-309

4 IN 1 USB DATA CABLE, METAL SHELL
NYLON BRAIDED



DC-220

3 IN 1 USB DATA CABLE, METAL SHELL
NYLON BRAIDED



DC-321

5 IN 1 USB DATA CABLE, METAL SHELL
SHELL NYLON BRAIDED



DC-265

4 IN 1 PD FAST CHARGING USB DATA CABLE, METAL SHELL, NYLON BRAIDED





HOT SEALING BLISTER
SIZE:80*150MM



HOT SEALING BLISTER
SIZE: 80*150MM



OPP BAG
SIZE:100*150MM



PAPER CARD
SIZE:160*100MM



PAPER WRAP
SIZE:35*23.5*41MM



COLOR BOX WITH PAPER TRAY
SIZE:80*130*25MM



COLOR BOX WITH PAPER TRAY
SIZE:80*130*35MM



COLOR BOX WITH PAPER TRAY
SIZE:80*130*30MM



PAPER WRAP WITH EURO HOLE
SIZE:38*30*62MM



PAPER WRAP WITH EURO HOLE
SIZE:85*45*115MM



ECO-FRIENDLY COLOR BOX WITH PAPER TRAY
SIZE:60*160*20MM



ECO-FRIENDLY COLOR BOX WITH PAPER TRAY
SIZE:60*160*20MM



ECO-FRIENDLY COLOR BOX WITH PAPER TRAY
SIZE:90*140*20MM



ECO-FRIENDLY COLOR BOX WITH PAPER TRAY
SIZE:70*90*70MM



ECO-FRIENDLY PAPER BAG WITH PAPER TRAY
SIZE: 55*120MM



ECO-FRIENDLY PDQ DISPLAY



ECO-FRIENDLY FLOOR DISPLAY



ECO-FRIENDLY FLOOR DISPLAY