COMPRO

COMPRO ELECTRONICS

Shenzhen Factory Add.:
3/F, Building 1, No. 99, Dayang Road, Xintian Community, Fuhai Street, Baoan, Shenzhen.

Changzhou Factory Add.:
Liban Road, Lila Town, Wujin, Changzhou, Jiangsu.

Tel: 051986563338
Email: comp188@188.com

Fax: 051986563338
www.compele.com


Version: October-2026



COMPRO


CHANGZHOU FACTORY


CABLE PRODUCTION


OFFICE


R&D OFFICE


SHENZHEN FACTORY


CHARGER WORKSHOP


CABLE WORKSHOP



SMT WORKSHOP


AGING WORKSHOP


MULTIFUNCTIONAL TESTING


AUTO ASSEMBLY SYSTEM


PACKING WORKSHOP


COMPRO
SAMPLE ROOM

COMPANY HISTORY

2003
Started business to export through State-owned Company

2005
Established Changzhou Jundi Imp.& Exp.

2006
Established Changzhou Comp Electronics, and set up three production lines for audio video cables

2010
Obtained ISO9001. Got HDMI Adaptor certificate, and started to produce HDMI cable

2011
Operated ERP System

2015
Obtained BSCI certificate

2016
Started to produce USB data cable

2017
Got MFI license. Became the USB-IF member

2018
We started Shenzhen Compro Electronics, producing Chargers and Wireless chargers

2020
Obtained FSC certificate

2021
Shenzhen Compro Electronics was merged with other factory to form a new factory to produce chargers

2023
Obtained GRS certificate

CERTIFICATE

BSCI Business Social Compliance Initiative · FSC · TÜV SÜD GS geprüfte Sicherheit · USB HI-SPEED CERTIFIED ID 12128 · Made for iPhone | iPad | iPod · ISO 9001 · qr2 · CE · Global Recycled Standard · RoHS · FC · UL



C

CHARGER

LED 100W



HC-515

Input: 220-240V~ 50/60Hz 2.5A
Output(USB-C1 or C2): 5.0V/3.0A, 9.0V/3.0A, 12.0V3.0A, 15.0V/3.0A, 20.0V/5.0A 100.0W
Output(USB-A): 5.0V/3.0A, 9.0V/2.0A, 12.0V/1.5A 18.0W
Output(USB-C1+USB-C2): 65.0W+20.0W
Output(USB-C1+USB-A): 65.0W+18.0W
Output(USB-C2+USB-A): 5.0V/2.4A 12.0W
Output(USB-C1+USB-C2+USB-A): 65.0W+12.0W
Max output: 100.0W

TFT



HC-496 65W

OUTPUT C: 5V3A, 9V3A, 12V3A, 15V3A, 20V3.25A
MAX OUTPUT: 65W;

HC-495 45W

OUTPUT C: 5V3A, 9V3A, 12V3A, 15V3A, 20V2.25A
MAX OUTPUT: 45W;

LED 100W



HC-505

OUTPUT C: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A, 100W
MAX. OUTPUT: 100W

LED 65W



HC-506

OUTPUT C: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A, 65W
OUTPUT A: 5V/3A, 9V/2A, 12V/1.5A, 18W
OUTPUT C+A: 45W+18W=63W
MAX. OUTPUT: 65W

LED 45W



HC-507

OUTPUT C: 5V/3A, 9V/3A, 12V/2.5A, 15V/3A, 20V/2.25A, 45W
OUTPUT A: 5V/3A, 9V/2A, 12V/1.5A, 18W
OUTPUT A+C: 25W+18W=43W
MAX. OUTPUT: 45W

LED 35W



HC-508

OUTPUT C: 5V/3A, 9V/3A, 12V/2.5A, 15V/2.33A, 20V/1.75A, 35W
OUTPUT A: 5V/3A, 9V/2A, 12V/1.5A, 18W
OUTPUT A+C: 5V/3A
MAX. OUTPUT: 35W



65W

HC–429

OUTPUT-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A
OUTPUT-A: 5V/3A, 9V/2A, 12V/1.5A
OUTPUT A+C: 12W+45W
TOTAL OUTPUT: 65W



65W

HC–430

OUTPUT-C1/C2: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A
OUTPUT-C1+C2: 45W(C1)+12W(C2)
PPS: 5V-11V/4.05A
TOTAL OUTPUT: 65W



65W

HC–428

OUTPUT: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A
TOTAL OUTPUT: 65W



45W

HC–435

OUTPUT-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A
OUTPUT-A: 5V/3A, 9V/2A, 12V/1.5A
OUTPUT A+C: 12W+PD30W
TOTAL OUTPUT: 45W



45W

HC–436

OUTPUT-C1/C2: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A
OUTPUT-C1+C2: 30W(C1)+12W(C2)
PPS: 5V-11V/4.05A
TOTAL OUTPUT: 45W



45W

HC–434

OUTPUT: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A
TOTAL OUTPUT: 45W



HC–413

30W

OUTPUT-C: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A
OUTPUT-A: 5V/3A, 9V/2A, 12V/1.5A
OUTPUT A+C: 5V/3A
TOTAL OUTPUT: 30W

HC–410

25W

OUTPUT-C: 5V/3A, 9V/2.77A
OUTPUT-A: 5V/3A, 9V/2A, 12V/1.5A
OUTPUT A+C: 5V/3A
TOTAL OUTPUT: 25W

HC–402

20W

OUTPUT-C: 5V/3A, 9V/2.22A, 12V/1.67A
OUTPUT-A: 5V/3A, 9V/2A, 12V/1.5A
OUTPUT A+C: 5V/3A
TOTAL OUTPUT: 20W



HC–414

30W

OUTPUT-C1/C2: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A
OUTPUT C1+C2: 5V/3A
TOTAL OUTPUT: 30W

HC–411

25W

OUTPUT-C1: 5V/3A, 9V/2.77A
OUTPUT-C2: 5V/3A, 9V/2.77A
OUTPUT C1+C2: 5V/3A
TOTAL OUTPUT: 25W

HC–403

20W

OUTPUT-C1/C2: 5V/3A, 9V/2.22A, 12V/1.67A
OUTPUT C1+C2: 5V/3A
TOTAL OUTPUT: 20W



HC–412

30W

OUTPUT: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A
TOTAL OUTPUT: 30W

HC–409

25W

OUTPUT: 5V/3A, 9V/2.77A
TOTAL OUTPUT: 25W

HC–401

20W

OUTPUT: 5V/3A, 9V/2.22A, 12V/1.67A
TOTAL OUTPUT: 20W



HC–477 65W

INPUT: AC110-240V 50/60Hz
OUTPUT C1: PD3.0 5V/3A 9V/3A 12V/3A 15V/3A 20V/3.25A
OUTPUT C2 : PD3.0 5V/3A 9V/3A 12V/3A 15V/3A 20V/3.25A
OUTPUT A: QC3.0 5V/3A 9V/2A 12V/1.5A
OUTPUT C1+C2+A: PD45W+7.5W+7.5W=60W
OUTPUT C1+C2: PD45W+PD20W=65W
OUTPUT C+A: PD45W+QC18W=63W
TOTAL OUTPUT: 65W



HC–476 65W

INPUT: AC110-240V 50/60Hz
OUTPUT C1: PD3.0 5V/3A 9V/3A 12V/3A 15V/3A 20V/3.25A
OUTPUT A: QC3.0 5V/3A 9V/2A 12V/1.5A
OUTPUT C1+A: PD45W+18W=63W
TOTAL OUTPUT: 65W



HC–475 65W

INPUT: AC110-240V 50/60Hz
OUTPUT : PD3.0 5V/3A 9V/3A 12V/3A 15V/3A 20V/3.25A
TOTAL OUTPUT: 65W



HC–474 45W

INPUT: AC110-240V 50/60Hz
OUTPUT C: PD3.0 5V/3A 9V/3A 12V/2.5A 15V/3A 20V/2.25A
OUTPUT A: QC3.0 5V/3A 9V/2A 12V/1.5A
OUTPUT C+A : 25W+18W
TOTAL OUTPUT: 45W



HC–473 45W

INPUT: AC110-240V 50/60Hz
OUTPUT C: PD3.0 5V/3A 9V/3A 12V/2.5A 15V/3A 20V/2.25A
TOTAL OUTPUT: 45W



HC–472 30W

INPUT: AC110-240V 50/60Hz
OUTPUT C: PD3.0 5V/3A 9V/3A 12V/2.5A 15V/2A 20V/1.5A
OUTPUT A: QC3.0 5V/3A 9V/2A 12V/1.5A
OUTPUT A+C : 5V/3A
TOTAL OUTPUT: 30W



HC–509 30W

OUTPUT-C1/C2: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A
OUTPUT C1+C2: 5V/3A
TOTAL OUTPUT: 30W



HC–471 30W

INPUT: AC110-240V 50/60Hz
OUTPUT: PD3.0 5V/3A 9V/3A 12V/2.5A 15V/2A 20V/1.5A
TOTAL OUTPUT: 30W



HC–470 20W

INPUT: AC110-240V 50/60Hz
OUTPUT C: 5V3A, 9V2.22A, 12V1.67A, 20W
OUTPUT A: 5V3A, 9V2A, 12V1.5A, 18W
OUTPUT C+A: 5V3A, 15W
TOTAL OUTPUT: 20W



HC–510 20W

OUTPUT-C1/C2: 5V/3A, 9V/2.22A, 12V/1.67A
OUTPUT C1+C2: 5V/3A
TOTAL OUTPUT: 20W



HC–469 20W

INPUT: AC110-240V 50/60Hz
OUTPUT: PD3.0 5V/3A 9V/2.22A 12V/1.67A
TOTAL OUTPUT: 20W

65W





HC-176

OUTPUT-C1/C2: 5V/3A, 9V/3A, 12V/3A, 15V/3A. 20V/3.25A
OUTPUT-A: 5V/2.4A, 9V/2A, 12V/1.5A
OUTPUT-C1+C2: 45W(C1)+20W(C2)
OUTPUT-C1+A: 45W+18W
OUTPUT-C2+A: 5V/2.4A
OUTPUT-C1+C2+A: 45W(C1)+12W
TOTAL OUTPUT: 65W

65W



HC-174

OUTPUT-C1/C2: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A
OUTPUT-C1+C2: 45W(C1)+20W(C2)
TOTAL OUTPUT: 65W

65W



HC-209

OUTPUT-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A
OUTPUT-A: 5V/3A, 9V/2A, 12V/1.5A
OUTPUT A+C: 12W+45W
TOTAL OUTPUT: 65W

65W



HC-210

OUTPUT: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A
TOTAL OUTPUT: 65W

45W



HC-175

OUTPUT-C1/C2: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A
OUTPUT-C1+C2: 30W(C1)+12W(C2)
TOTAL OUTPUT: 45W

45W



HC-211

OUTPUT-A: 5V/3A, 9V/2A, 12V/1.5A
OUTPUT-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A
OUTPUT A+C: 12W+PD30W
TOTAL OUTPUT: 45W

45W



HC-212

OUTPUT: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A
TOTAL OUTPUT: 45W

30W





HC-213

OUTPUT-C: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A
OUTPUT-A: 5V/3A, 9V/2A, 12V/1.5A
OUTPUT A+C: 5V/3A
TOTAL OUTPUT: 30W

30W



HC-214

OUTPUT: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A
TOTAL OUTPUT: 30W

25W



HC-216

OUTPUT: 5V/3A, 9V/2.77A
TOTAL OUTPUT: 25W

20W



HC-217

OUTPUT-C: 5V/3A, 9V/2.22A, 12V/1.67A
OUTPUT-A: 5V/3A, 9V/2A, 12V/1.5A
OUTPUT A+C: 5V/3A
TOTAL OUTPUT: 20W

20W



HC-218

OUTPUT: 5V/3A, 9V/2.22A, 12V/1.67A
TOTAL OUTPUT: 20W

15W



HC-219

OUTPUT: 5V/3A
TOTAL OUTPUT: 15W

12W



HC-220

OUTPUT: 5V/2.4A
TOTAL OUTPUT: 12W



HC–442

OUTPUT-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A
OUTPUT-A: 5V/3A, 9V/2A, 12V/1.5A
OUTPUT A+C: 12W+45W
TOTAL OUTPUT: 65W

HC–441

OUTPUT-C1/C2:5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A
OUTPUT-C1+C2: 45W(C1)+12W(C2)
TOTAL OUTPUT: 65W

HC–440

OUTPUT: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A
TOTAL OUTPUT: 65W



HC–439

OUTPUT-A: 5V/3A, 9V/2A, 12V/1.5A
OUTPUT-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A
OUTPUT A+C: 12W+PD30W
TOTAL OUTPUT: 45W

HC–438

OUTPUT-C1/C2:5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A
OUTPUT-C1+C2: 30W(C1)+12W(C2)
TOTAL OUTPUT: 45W

HC–437

OUTPUT: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A
TOTAL OUTPUT: 45W



HC–423 30W

OUTPUT-C: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A
OUTPUT-A: 5V/3A, 9V/2A, 12V/1.5A
OUTPUT A+C: 5V/3A
TOTAL OUTPUT: 30W

HC–420 25W

OUTPUT-C: 5V/3A, 9V/2.77A
OUTPUT-A: 5V/3A, 9V/2A, 12V/1.5A
OUTPUT A+C: 5V/3A
TOTAL OUTPUT: 25W

HC–417 20W

OUTPUT-C: 5V/3A, 9V/2.22A, 12V/1.67A
OUTPUT-A: 5V/3A, 9V/2A, 12V/1.5A
OUTPUT A+C: 5V/3A
TOTAL OUTPUT: 20W



HC–422 30W

OUTPUT-C1/C2: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A
OUTPUT C1+C2: 5V/3A
TOTAL OUTPUT: 30W

HC–419 25W

OUTPUT-C1: 5V/3A, 9V/2.77A
OUTPUT-C2: 5V/3A, 9V/2.77A
OUTPUT C1+C2: 5V/3A
TOTAL OUTPUT: 25W

HC–416 20W

OUTPUT-C1/C2: 5V/3A, 9V/2.22A, 12V/1.67A
OUTPUT C1+C2: 5V/3A
TOTAL OUTPUT: 20W



HC–421 30W

OUTPUT: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A
TOTAL OUTPUT: 30W

HC–418 25W

OUTPUT: 5V/3A, 9V/2.77A
TOTAL OUTPUT: 25W

HC–415 20W

OUTPUT: 5V/3A, 9V/2.22A, 12V/1.67A
TOTAL OUTPUT: 20W



HC-444 20W

OUTPUT-C: 5V/3A, 9V/2.22A, 12V/1.67A
OUTPUT-A: 5V/3A, 9V/2A, 12V/1.5A
OUTPUT A+C: 5V/3A
TOTAL OUTPUT: 20W

HC-445 20W

OUTPUT-C1/C2: 5V/3A, 9V/2.22A, 12V/1.67A
OUTPUT C1+C2: 5V/3A
TOTAL OUTPUT: 20W

HC-446 20W

OUTPUT: 5V/3A, 9V/2.22A, 12V/1.67A
TOTAL OUTPUT: 20W
TOTAL OUTPUT: 20W

HC-447 30W

OUTPUT-C: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A
OUTPUT-A: 5V/3A, 9V/2A, 12V/1.5A
OUTPUT A+C: 5V/3A
TOTAL OUTPUT: 30W

HC-448 30W

OUTPUT-C1/C2: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A
OUTPUT C1+C2: 5V/3A
TOTAL OUTPUT: 30W

HC-449 30W

OUTPUT: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A
TOTAL OUTPUT: 30W

HC-450 45W

OUTPUT-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A
OUTPUT-A: 5V/3A, 9V/2A, 12V/1.5A
OUTPUT A+C: 12W+PD30W
TOTAL OUTPUT: 45W

HC-451 45W

OUTPUT-C1/C2: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A
OUTPUT-C1+C2: 30W(C1)+12W(C2)
PPS: 5V-11V/4.05A
TOTAL OUTPUT: 45W

HC-452 45W

OUTPUT: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A
TOTAL OUTPUT: 45W

HC-453 65W

OUTPUT-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A
OUTPUT-A: 5V/3A, 9V/2A, 12V/1.5A
OUTPUT A+C: 12W+45W
TOTAL OUTPUT: 65W

HC-454 65W

OUTPUT-C1/C2: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A
OUTPUT-C1+C2: 45W(C1)+12W(C2)
PPS: 5V-11V/4.05A
TOTAL OUTPUT: 65W

HC-455 65W

OUTPUT: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A
TOTAL OUTPUT: 65W





HC-378 65W

OUTPUT-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A
OUTPUT-A: 5V/3A, 9V/2A, 12V/1.5A
OUTPUT A+C: 12W+45W
TOTAL OUTPUT: 65W

HC-376 45W

OUTPUT-A: 5V/3A, 9V/2A, 12V/1.5A
OUTPUT-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A
OUTPUT A+C: 12W+PD30W
TOTAL OUTPUT: 45W

HC-380 65W

OUTPUT-C1/C2: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A
OUTPUT-C1+C2: 45W(C1)+12W(C2)
PPS: 5V-11V/4.05A
TOTAL OUTPUT: 65W

HC-379 45W

OUTPUT-C1/C2: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A
OUTPUT-C1+C2: 30W(C1)+12W(C2)
PPS: 5V-11V/4.05A
TOTAL OUTPUT: 45W

HC-377 65W

OUTPUT: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A
TOTAL OUTPUT: 65W

HC-375 45W

OUTPUT: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A
TOTAL OUTPUT: 45W

HC–406

USB-C1/C2/C3/C4: 5.0V/3.0A, 9.0V/3.0A, 12.0V/3.0A, 15.0V/3.0A, 20.0V/5.0A, 100.0W MAX.
PPS: 5.0-11.0V/5.0A 55.0W
AVS: 9.0-15.0V/3.0A 45.0W, 15.0-20.0V/3.0A 60.0W
USB-A1/A2: 5.0V-3.0A, 9.0V/3.0A, 12.0V/2.5A, 20.0V/1.5A 30.0W MAX.
USB-(C1+C2)or(C3+C4)): 65.0W+30.0W
USB-(C1+A1)or(C2+A1)or(C3+A2)or(C4+A2): 45.0W+30.0W
USB-C3+(C4+A1)or C1+(C2+A2): 65.0W+15.0W
USB-(C1+C3)or(C2+C4)or(C1+C4)or(C2+C3): 45.0W+45.0W
USB-(C2+A2)+(C4+A1): 15.0W+15.0W
USB-C1+(C2+A2)+C3+(C4+A1): 25.0W+15.0W+25.0W+15.0W
MAX OUTPUT: 100.0W



'SiC'



HC–514 65W

Output(USB-C1/C2): 5.0V/3.0A 15.0W, 9.0V/3.0A 27.0W, 12.0V/3.0A 36.0W, 15.0V/3.0A 45.0W, 20.0V/3.25A 65.0W
Output(USB-A or USB-C3): 5.0V/3.0A 15.0W, 9.0V/3.0A 27.0W, 12.0V/2.5A 30.0W, 20.0V/1.5A 30.0W
Output(USB-C1+USB-C2): 45.0W+20.0W
Output(USB-C1+USB-A or C3): 45.0W+18.0W
Output(USB-C2+USB-A): 5.0V/3.0A 15.0W
Output(USB-C2+USB-C3): 5.0V/3.0A 15.0W
Output(USB-A+USB-C3): 5.0V/3.0A 15.0W
Output (USB-C2+USB-A+USB-C3): 5.0V/3.0A 15.0W
Output USB-C1+(USB-C2+USB-A+USB-C3): 45.0W+15.0W
PPS: 5.0-20.0V/3.65A 65.0W Max.
Total output: 65.0W Max.

'SiC'



HC–513 65W

Output(USB-C1/C2): 5.0V/3.0A 15.0W, 9.0V/3.0A 27.0W, 12.0V/3.0A 36.0W, 15.0V/3.0A 45.0W, 20.0V/3.25A 65.0W
Output(USB-A1/A2): 5.0V/3.0A 15.0W, 9.0V/3.0A 27.0W, 12.0V/2.5A 30.0W, 20.0V/1.5A 30.0W
Output(USB-C1+USB-C2): 45.0W+20.0W
Output(USB-C1+USB-A1 or A2): 45.0W+18.0W
Output(USB-C2+USB-A1): 5.0V/3.0A 15.0W
Output(USB-C2+USB-A2): 5.0V=3.0A 15.0W
Output(USB-A1+USB-A2): 5.0V=3.0A 15.0W
Output (USB-C2+USB-A1+USB-A2): 5.0V/3.0A 15.0W
Output USB-C1+(USB-C2+USB-A1+USB-A2): 45.0W+15.0W
PPS: 5.0-20.0V/3.65A 65.0W Max.
Total output: 65.0W Max.



HC–483 100W

INPUT: 220-240V~ 50/60Hz 2.5A
OUTPUT-C1/C2: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A
PPS: 5-11V/5A
OUTPUT-A: 5V/3A, 9V/2A, 12V/1.5A
OUTPUT-C1+C2: 65W+20W
OUTPUT-C1+A: 65W+18W
OUTPUT-C2+A: 5.0V2.4A 12.0W
OUTPUT-C1+(C2+A): 65.0W+12.0W
MAX. OUTPUT: 100.0W



HC–484 100W

INPUT: 220-240V~ 50/60Hz 2.5A
OUTPUT-C1/C2: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A
OUTPUT-C1+C2: 65W+20W
TOTAL OUTPUT: 100W



HC–485 100W

INPUT: 220-240V~ 50/60Hz 2.5A
OUTPUT-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A,20V/5A
OUTPUT-A: 5V/3A, 9V/2A, 12V/1.5A
OUTPUT-C+A: 65W+18W
TOTAL OUTPUT: 100W



HC–486 100W

INPUT: 220-240V~ 50/60Hz 2.5A
OUTPUT-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A ,20V/5A
TOTAL OUTPUT: 100W



HC–460 100W

INPUT: 200-240V
OUTPUT-C: 5V3A,9V3A,12V3A,15V3A,20V/5A
TOTAL OUTPUT: 100W



HC–461 100W

INPUT: 200-240V
OUTPUT-C: 5V3A,9V3A,12V3A,15V3A,20V/5A
OUTPUT-A:5V/3A, 9V/2A, 12V/1.5A
OUTPUT-C+A: 65W+12W
TOTAL OUTPUT: 100W



HC–462 100W

INPUT: 200-240V
OUTPUT-C1/C2: 5V3A,9V3A,12V3A,15V3A,20V/5A
OUTPUT-C1+C2: 65W+12W
TOTAL OUTPUT: 100W



HC–511 140W

OUTPUT C1/C2: 5.0V3.0A, 9.0V3.0A, 12.0V3.0A, 15.0V3.0A, 20.0V5.0A, 28.0V5.0A, 140.0W
OUTPUT A: 5.0V3.0A, 9.0V3.0A, 12.0V2.5A, 20.0V1.5A, 30.0W
OUTPUT C1+C2: 65.0W+45.0W; C1+A: 65.0W+30.0W; C2+A: 5.0V3.0A, 15.0W; C1+C2+A: 100.0W+15.0W(C2+A)
Max. output: 140.0W



HC–512 100W

Output(USB-C1/C2): 5.0V/3.0A, 9.0V/3.0A, 12.0V/3.0A, 15.0V/3.0A, 20.0V/5.0A 100.0W
PPS: 5.0-20.0V/3.65A 73.0W
AVS: 9.0-15.0V/3.0A 45.0W, 15.0-20.0V/3.0A 60.W
Output(USB-A): 5.0V/3.0A, 9.0V/3.0A, 12.0V/2.5A, 20.0V/1.5A 30.0W
Output(USB-C1+USB-C2): 65.0W+20.0W
Output(USB-C1+USB-A): 65.0W+18.0W
Output(USB-C2+USB-A): 65.0W+18.0W
Output(USB-C1+USB-C2+USB-A): 65.0W+15.0W
Max output: 100.0W

140W



HC–373

OUTPUT-C1:
5V/3A,9V/3A,12V/3A,15V/3A,20V/5A,28.0V/5A(PD140W)
OUTPUT-C2: 5V/3A,9V/3A,12V/3A,15V/3A,20V/5A (PD 100W)
OUTPUT-C3: 5V/3A,9V/3A,12V/2.5A,15V/2A(PD 30W)
OUTPUT-A: 5V/3A,9V/3A,12V/2.5A,10V/2.25A(QC 30W)
OUTPUT-C1+C2: 65W+65W
OUTPUT-C1/C2+C3: 100W+30W
OUTPUT-C1/C2+A: 100W+30W
OUTPUT-C3+A: 5V/3A(15W)
OUTPUT-C1+C2+C3: 65W+45W+20W
OUTPUT-C1+C2+A: 65W+45W+22.5W
OUTPUT-C1/C2+(C3+A): 100W+15W
OUTPUT-C1+C2+(C3+A): 65W+45W+15W
TOTAL OUTPUT: 140W MAX.

120W



HC–372

OUTPUT-C1/C2:
5V/3A,9V/3A,12V/3A,15V/3A,20V/5A (PD 100W)
OUTPUT-C3:
5V/3A,9V/3A,12V/2.5A,15V/2A,20V/1.5A(PD 30W)
OUTPUT-A: 5V/3A,9V/3A,12V/2.5A,10V/2.25A(QC 30W)
OUTPUT-C1+C2: 70W+45W
OUTPUT-C1/C2+C3: 70W+30W
OUTPUT-C1/C2+A: 70W+30W
OUTPUT-C3+A: 5V/3A(15W)
OUTPUT-C1+C2+C3: 65W+30W+20W
OUTPUT-C1+C2+A: 65W+30W+22.5W
OUTPUT-C1/C2+(C3+A): 70W+15W
OUTPUT-C1+C2+(C3+A): 65W+30W+15W
TOTAL OUTPUT: 120W MAX.

100W



HC–370

OUTPUT-USB-C1/USB-C2:
5V3A,9V3A,12V3A,15V3A,20V5A(100W MAX.)
OUTPUT-USB-A: 5V/3A,9V/3A,12V/2.25A,10V/2.25A(QC 27W)
OUTPUT-C1+C2: 65W+27W
OUTPUT-C2+A: 5V/4.8A(24W)
OUTPUT-C1+A: 65W+27W
OUTPUT-C1+(C2+A): 65W+24W
TOTAL OUTPUT: 100W MAX.



CC-187 130W

2*PD+1*USB A CAR CHARGER
OUTPUT-C1: 5V/3A,9V/3A,12V/3A,15V/3A,20V/5A
OUTPUT-C2: 5V/3A,9V/3A,12V/2.5A,15V/2A,20V/1.5A
OUTPUT-A: 5V/3A,9V/3A,12V/2.5A,15V/2A,20V/1.5A
OUTPUT-C1+C2/A: 100W+30W
OUTPUT-C2+A: 5V/3A
OUTPUT-C1+C2+A: 100W+15W
OUTPUT MAX.: 130W



CC-189 95W

2*PD+1*USB A CAR CHARGER
OUTPUT-C1: 5V/3A,9V/3A,12V/3A,15V/3A,20V/3.25A
OUTPUT-C2: 5V/3A,9V/3A,12V/2.5A,15V/2A,20V/1.5A
OUTPUT-A: 5V/3A,9V/3A,12V/2.5A,15V/2A,20V/1.5A
OUTPUT-C1+C2/A: 65W+30W
OUTPUT-C2+A: 5V/3A
OUTPUT-C1+C2+A: 65W+15W
OUTPUT MAX.: 95W



CC-190 85W

2*PD+1*USB A CAR CHARGER
OUTPUT-C1: 5V/3A,9V/3A,12V/3A,15V/3A,20V/3.25A
OUTPUT-C2: 5V/3A,9V/2.22A,12V/1.67A
OUTPUT-A: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A
OUTPUT-C1+C2: 65W+20W
OUTPUT-C1+A: 65W+18W
OUTPUT-C2+A: 5V/3A
OUTPUT-C1+C2+A: 65W+15W
OUTPUT MAX.: 85W



CC-191 95W

1*PD+1*USB A CAR CHARGER
OUTPUT-C:
5V/3A,9V/3A,12V/3A,15V/3A,20V/3.25A
OUTPUT-A:
5V/3A,9V/3A,12V/2.5A,15V/2A,20V/1.5A
OUTPUT-A+C: 65W+30W
OUTPUT MAX.: 95W



CC-213 95W

1*PD+1*USB A CAR CHARGER
OUTPUT-C:
5V/3A,9V/3A,12V/3A,15V/3A,20V/3.25A
OUTPUT-A:
5V/3A,9V/3A,12V/2.5A,15V/2A,20V/1.5A
OUTPUT-A+C: 65W+30W
OUTPUT MAX.: 95W



CC-188 85W

2*PD CAR CHARGER
OUTPUT-C1:
5V/3A,9V/3A,12V/3A,15V/3A,20V/3.25A
OUTPUT-C2: 5V/3A,9V/2.22A,12V/1.67A
OUTPUT-C1+C2: 65W+20W
OUTPUT MAX.: 85W



CC-193 65W

2*PD CAR CHARGER
OUTPUT-C1:
5V/3A,9V/3A,12V/3A,15V/3A,20V/3.25A
OUTPUT-C2: 5V/3A, 9V/2.22A, 12V/1.67A
OUTPUT-C1+C2: 45W+20W
OUTPUT MAX.: 65W



CC-194 83W

1*PD+1*USB A CAR CHARGER
OUTPUT-C:
5V/3A,9V/3A,12V/3A,15V/3A,20V/3.25A
OUTPUT-A: 5V/3A,9V/2A,12V/1.5A
OUTPUT-C+A: 65W+18W
OUTPUT MAX.: 83W



CC-225 60W

OUTPUT C1: 5V/3A, 9V/3A, 12V/2.5A
OUTPUT C2: 5V/3A, 9V/3A, 12V/2.5A
TOTAL OUTPUT: 60W



CC-226 48W

OUTPUT C: 5V/3A, 9V/3A, 12V/2.5A
OUTPUT A: 5V/3A, 9V/2A, 12V/1.5A
TOTAL OUTPUT: 48W



CC-227 30W

OUTPUT: 5V/3A, 9V/3A, 12V/2.5A
TOTAL OUTPUT: 30W



CC-221 60W

USB-C1 retractable Cable: 5V3A, 9V3A, 12V/2.5A (30W max.)
USB-C2: 5V3A, 9V3A, 12V/2.5A (30W max.)
USB-A: 5V3A, 9V3A, 12V/1.5A (18W max.)
USB-C1 cable+USB-C2: 30W+30W
USB-C1 cable+USB-A: 30W+18W
USB-C2+USB-A: 5V/3A, 15W
USB-C1 Cable+(USB-C2+USB-A): 30W+15W
OUTPUT MAX.: 60W



CC-207 40W

OUTPUT C1: 5V/3A, 9V/2.22A, 12V/1.67A
OUTPUT C2: 5V/3A, 9V/2.22A, 12V/1.67A
TOTAL OUTPUT: 40W



CC-208 30W

OUTPUT-C: 5V/3A, 9V/3A, 12V/2.5A
OUTPUT-A: 5V/3A, 9V/2A, 12V/1.5A
TOTAL OUTPUT: 30W



CC-209 20W

OUTPUT-C: 5V/3A, 9V/2.22A, 12V/1.67A
TOTAL OUTPUT: 20W



CC-222 95W

USB-C1 retractable Cable:
5V3A, 9V3A, 12V/3A, 15V/3A, 20V/3.25A (65W max.)
USB-C2: 5V3A, 9V3A, 12V/2.5A (30W max.)
USB-A: 5V3A, 9V3A, 12V/1.5A (18W max.)
USB-C1 cable+USB-C2: 65W+30W
USB-C1 cable+USB-A: 65W+18W
USB-C2+USB-A: 5V/3A, 15W
USB-C1 Cable+(USB-C2+USB-A): 65W+15W
OUTPUT MAX.: 95W

D

DATA CABLE





DC-316C 240W 80Gbps

TYPE C-C PD FAST CHARGING USB DATA CABLE,METAL SHELL,NYLON BRAIDED

DC-413 240W 40Gbps

TYPE C-C PD FAST CHARGING USB DATA CABLE,METAL SHELL,NYLON BRAIDED

DC-414A 240W 20Gbps

TYPE C-C PD FAST CHARGING USB DATA CABLE,METAL SHELL,NYLON BRAIDED

DC-414B 240W 10Gbps

TYPE C-C PD FAST CHARGING USB DATA CABLE,METAL SHELL,NYLON BRAIDED



DC-479

TYPE C-C PD FAST CHARGING USB DATA CABLE, MOLDING SHELL, TPE

240W 80Gbps

Coaxial Technology





DC-478

PHONE HOLDER USB DATA FLAT CABLE, METAL SHELL, NYLON BRAIDED

C: TYPE C - TYPE C

240W 480Mbps



DC-488

PHONE HOLDER USB DATA FLAT CABLE, METAL SHELL, NYLON BRAIDED

D: TYPE-C - TYPE-C

100W/60W 480Mbps

60W/100W 480Mbps



DC-359

PD FAST CHARGING USB
DATA CABLE,ABS
SHELL,NYLON BRAIDED

60W/100W 480Mbps



DC-363

MAGNETIC RETRACTABLE FAST
CHARGING DATA CABLE,ABS
SHELL,NYLON BRADIED

60W/100W 480Mbps



DC-441

MAGNETIC RETRACTABLE FAST
CHARGINGDATA FLAT CABLE,METAL
SHELL,NYLON BRADIED

60W/100W 480Mbps



DC-419

HANDMADE MULTICOLOR BRAIDED USB
CHARGING DATA CABLE
C: USB A-TYPE C
D: TYPE C-TYPE C

60W/100W 480Mbps

DC-444

100% PAPER BRAIDING
CHARGING DATA CABLE
C: USB A-TYPE C
D: TYPE C-TYPE C





60W/100W 480Mbps

DC-450

DIGITAL DISPLAY PD FAST CHARGING
BRAIDED CABLE



SOFT SILICONE

DC-448

SILICONE USB DATA
CABLE,MOLDING SHELL
A:8PIN
B:MICRO
C:TYPE C
D:TYPE C-TYPE C
E:TYPE C-8PIN



DC-486

NYLON BRAIDED USB DATA
CABLE, METAL SHELL
A: 8PIN
C: TYPE C
D: TYPE C - TYPE C
E: TYPE C - 8PIN



DC-434

USB DATA
CABLE,MOLDING SHELL
A:8PIN
B:MICRO
C:TYPE C
D:TYPE C-TYPE C
E:TYPE C-8PIN



DC-481

BENDING RESISTANCE
USB DATE FLAT CABLE,
METAL SHELL, NYLON
BRAIDED
D: TYPE-C - TYPE-C



DC-487

BENDING RESISTANCE
USB DATE ROUND
CABLE, METAL SHELL,
NYLON BRAIDED
D: TYPE-C - TYPE-C



DC-453

TRANSPARENT SHELL
GRDIENT COLOR
BRAIDED DATA CABLE
A:8PIN
B:MICRO
C:TYPE C
D:TYPE C-TYPE C
E:TYPE C-8PIN



DC-396

SILICONE USB DATA
CABLE,MOLDING SHELL
WITH LED
A:8PIN
B:MICRO
C:TYPE C
D:TYPE C-TYPE C
E:TYPE C-8PIN



DC-346

NYLON BRAIDED USB
DATA CABLE,METAL
SHELL
A:8PIN
B:MICRO
C:TYPE C
D:TYPE C-TYPE C
E:TYPE C-8PIN





DC-338

4 IN 1 USB DATA CABLE, METAL SHELL
NYLON BRAIDED



DC-384

2 IN 1 USB DATA CABLE, METALSHELL
NYLON BRAIDED



DC-220

3 IN 1 USB DATA CABLE, METAL SHELL
NYLON BRAIDED



DC-378

2 IN 1 USB DATA CABLE,
METAL SHELL,SILICON
JACKET



DC-321

5 IN 1 USB DATA CABLE, METAL SHELL NYLON
BRAIDED



DC-461

3 IN 1 PD 100W RETRACTABLE USB
DATA CABLE,METAL SHELL



DC-098

240W RETRACTABLE USB DATA CABLE,
METAL SHELL, ABS HOUSING, TPE, 1M



DC-485

100W RETRACTABLE MULTI-FUNCTIONAL USB DATA
CABLE, METAL SHELL, ABS HOUSING, TPE, 1M
WIRELESS OUTPUT FOR WATCH: 2.5W

W

WIRELESS CHARGER

WC–209

MAGNETIC WIRELESS CHARGING
CAR HOLDER
OUTPUT: 25W/15W/10W/7.5W/5W
MATERIAL: PC+ABS



WC–210

MAGNETIC WIRELESS CHARGING
CAR HOLDER
OUTPUT: 25W/15W/10W/7.5W/5W
MATERIAL: PC+ABS



Qi2 25W

WC–198

MAGNETIC WIRELESS CHARGING CAR HOLDER
WITH COLOFUL ATMOSPHERE LIGHTS
OUTPUT: 25W/15W/10W/7.5W/5W
A: ALUMINUM ALLOY+ABS
B: PC+ABS



WC–199

MAGNETIC WIRELESS CHARGING PAD
WITH COLORFUL ATMOSPHERE LIGHTS
OUTPUT: 25W/15W/10W/7.5W/5W
A: ALUMINUM ALLOY+ABS
B: PC+ABS



WC–173

MAGNETIC WIRELESS CHARGING CAR HOLDER
WITH COLORFUL ATMOSPHERE LIGHTS
OUTPUT: 15W/10W/7.5W/5W
A: ALUMINUM ALLOY+ABS
B: PC+ABS



WC–176

MAGNETIC WIRELESS CHARGING PAD
WITH COLORFUL ATMOSPHERE LIGHTS
OUTPUT: 15W/10W/7.5W/5W
MATERIAL: PC+ABS



WCI–01

MAGNETIC WIRELESS CHARGING FOR WATCH
INPUT: 5W
OUTPUT: 2.5W
MATERIAL: ABS



WCI–04

iWATCH & SAMSUNG WATCH DOUBLE
SIDE MAGNETIC WIRELESS CHARGING
INPUT: 5W
OUTPUT: 2.5W
MATERIAL: ABS



WC–184

MAGNETIC WIRELESS CHARGING CAR HOLDER
OUTPUT: 15W/10W/7.5W/5W
MATERIAL: ALUMINUM ALLOY



WC–175

MAGNETIC WIRELESS CHARGING
CAR HOLDER
OUTPUT: 15W/10W/7.5W/5W
MATERIAL: GLASS FIBER + ABS



WC–211

MAGNETIC WIRELESS CHARGING PAD
OUTPUT: 15W/10W/7.5W/5W
MATERIAL: PC+ABS+AL ALLOY



WC–216

2 IN 1 MULTI-FUNCTIONAL MAGNETIC
WIRELESS CHARGER
OUTPUT FOR PHONE: 15W/10W/7.5W/5W
OUTPUT FOR IWATCH: 2.5W
MATERIAL: ABS+PC+ZINC ALLOY



WC–212

WIRELESS CHARGING CAR HOLDER
OUTPUT: 15W/10W/7.5W/5W
MATERIAL: PC+ABS



WC–194

MAGNETIC WIRELESS CHARGING
CAR HOLDER
OUTPUT: 15W/10W/7.5W/5W
MATERIAL: ABS



WC–098

WIRELESS CHARGING CAR HOLDER
OUTPUT: 15W/10W/7.5W/5W
MATERIAL: ABS



WC–213

MAGNETIC WIRELESS CHARGING
CAR HOLDER
OUTPUT: 15W/10W/7.5W/5W
MATERIAL: PC+ABS



WC–207

3 IN 1 WIRELESS CHARGING STAND
OUTPUT: 15W/10W/7.5W/5W/2W
MATERIAL: ABS



WC–200

3 IN 1 WIRELESS CHARGING STAND
WITH LIGHT
OUTPUT: 15W/10W/7.5W/5W/2W
MATERIAL: ABS



WC–201

3 IN 1 WIRELESS CHARGING STAND
OUTPUT: 15W/10W/7.5W/5W/2W
MATERIAL: ABS



WC–214

3 IN 1 WIRELESS CHARGING STAND
OUTPUT: 25W/15W/10W/7.5W/5W/2.5W
MATERIAL: PC+ABS



WC-215

WIRELESS CHARGING CAR HOLDER
OUTPUT: 15W/10W/7.5W/5W
MATERIAL: ABS+ACRYLIC



WC-125

WIRELESS CHARGING CAR HOLDER
OUTPUT: 15W/10W/7.5W/5W
MATERIAL: ABS



WCPS-23

WIRELESS CHARGING PAD
OUTPUT: 15W/10W/7.5W/5W
MATERIAL: ABS+PC



WCPS-24

WIRELESS CHARGING PAD
OUTPUT: 15W/10W/7.5W/5W
MATERIAL: ABS+PC



H

HUB & ADAPTER



AD–203

MAGNETIC MULTI-FUNCTIONAL DOCKING STATION
5 IN 1 TYPE C HUB
HDMI+TYPE C2.0+PD3.0+SD+TF



AD–204

FOR PHONE MAGNETIC SSD ENCLOSURE
3 IN 1 TYPE C HUB
TYPE C2.0+PD3.0+M.2 10GB



AD–201

WIRELESS TRANSMITTER
POINT-TO-POINT,PLUG AND PLAY,NO NEED SETTING
SCREEN MIRROR AND SCREEN EXTENDER
4K HD,STABLE TRANSMISSION,ONE-TOUCH
DISCONNECT/CONNECT



AD–184

3 IN 1 USB HUB
ABS SHELL TYPE C TO HDMI+PD+USB



AD–196

3 IN 1 TYPE C HUB
ABS SHELL TYPE C TO HDMI+PD+USB



AD–197

3 IN 1 TYPE C HUB
ABS SHELL TYPE C TO HDMI+PD+USB



AD–198

3 IN 1 TYPE C HUB
ABS SHELL TYPE C TO HDMI+PD+USB



AD–199

3 IN 1 TYPE C HUB WITH HOLDER
ABS SHELL TYPE C TO HDMI+PD+USB



AD–200

6 IN 1 TYPE C HUB WITH COOLING FAN
HDMI+USB*2+TYPE-C+PD+RJ45



AD-089

3 IN 1TYPE C HUB

METAL SHELL TYPE C TO HDMI+PD+USB





AD-090

5 IN 1 TYPE C HUB

METAL SHELL 2*TYPE C TO HDMI*2+PD+USB*2





AD-091

7 IN1 TYPE C HUB

METAL SHELL 2*TYPE C TO HDMI+PD+TYPE C+SD+TF+USB*2





AD-037

3 IN1 TYPE C HUB

METAL SHELL TYPE C TO HDMI+PD+USB





AD-133

8 IN 1 TYPE C HUB

METAL SHELL TYPE C TO HDMI+USB*3+PD+TF+SD+RJ45





AD-191

13 IN 1 TYPE C HUB

HDMI*2+DP+USB*4+TYPE-C*2+RJ45+SD+TF+AUDIO





AD-116

3 IN1 TYPE C HUB

METAL SHELL TYPE C TO HDMI+PD+USB





AD-117

5 IN1 TYPE C HUB

METAL SHELL TYPE C TO HDMI+PD+TYPE C+USB*2





AD-053

7 IN1 TYPE C HUB

METAL SHELL TYPE C TO HDMI+PD+TYPE C+SD+TF+USB*2





AD-050

11 IN 1 TYPE C HUB

METAL SHELL TYPE C TO HDMI+RJ45+VGA+PD+TYPE C+SD+TF+USB*3+AUDIO





AD-079

9 IN 1 TYPE C HUB

TRANSPARENT SHELL TYPE C TO HDMI+VGA+PD+3.5MM+SD+TF+USB*2





AD-192

15 IN 1 TYPE C HUB

HDMI*2+DP+USB*5+TYPE-C*3+RJ45+SD+TF+AUDIO



P

POWER BANK

Solid-State Battery

PSSB-118-5QM

5000MAH

MAGNETIC POWER BANK
Capacity: 5000mAh
Battery:
INPUT-C: 5V/2A, 9V/2A, 12V/1.5A, 18W MAX.
OUTPUT-C: 5V/3A, 9V/2.22A, 12V/1.67A, 20W MAX.
WIRELESS OUTPUT: 5W/7.5W/10W/15W
SIZE: 105*66*8.45MM
MATERIAL: ABS+PC+ALUMINUM



Solid-State Battery

PSSB-131-5QM

5000MAH

MAGNETIC POWER BANK
INPUT-C: 5V/3A, 9V/1.67A, 15W MAX.
OUTPUT-C: 5V/3A, 9V/2.22A, 12V/1.67A, 20W MAX.
OUTPUT-WIRELESS: 5W/7.5W
SIZE: 105*70.8*7.5MM
MATERIAL: ALUMINUM ALLOY



Solid-State Battery

PSSB-118-10QM

10000MAH

MAGNETIC POWER BANK
Capacity: 10000mAh
Battery:
INPUT-C: 5V/2A, 9V/2A, 12V/1.5A, 18W MAX.
OUTPUT-C: 5V/3A, 9V/2.22A, 12V/1.67A, 20W MAX.
WIRELESS OUTPUT: 5W/7.5W/10W/15W
SIZE: 105*66*8.45MM
MATERIAL: ABS+PC+ALUMINUM



Solid-State Battery

PSSB-131-10QM

10000MAH

MAGNETIC POWER BANK
INPUT-C: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A, 30W MAX.
OUTPUT-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A, 45W MAX.
OUTPUT-WIRELESS: 5W/7.5W/10W/15W/25W
SIZE: 105*70.8*13.5MM
MATERIAL: ALUMINUM ALLOY



5000MAH

PB–096–5QW3



3 IN 1 MAGNETIC WIRELESS POWER BANK
Capacity: 5000mAh
Battery:
INPUT-C: 5V/3A,9V/2A,12V/1.5A,18W MAX.
OUTPUT-C: 5V/3A,9V/2.22A,12V/1.67A, 20W MAX.
OUTPUT-WIRELESS: 2.5W/5W/7.5W/10W/15W
SIZE: 104*67*8.5MM
MATERIAL: ALUMINUM ALLOY

10000MAH

PB–097–10QW3



3 IN 1 MAGNETIC WIRELESS POWER BANK
Capacity: 10000mAh
Battery:
INPUT-C: 5V/3A,9V/2A,12V/1.5A,18W MAX.
OUTPUT-C: 5V/3A,9V/2.22A,12V/1.67A, 20W MAX.
OUTPUT-WIRELESS: 5W/7.5W/10W/15W
SIZE: 104*67*13.8MM
MATERIAL: ALUMINUM ALLOY

10000MAH

PB–120–10QM



MAGNETIC POWER BANK WITH HOLDER
Capacity: 10000mAh
Battery:
INPUT-C: 5V/3A, 9V/2A, 12V/1.5A, 18W MAX.
INPUT-C CABLE: 5V/3A, 9V/2A, 12V/1.5A, 18W MAX.
OUTPUT-C: 5V/2.4A, 9V/2.22A, 12V/1.67A, 20W MAX.
OUTPUT-C CABLE: 5V/2.4A, 9V/2.22A, 12V/1.67A, 10V/2.25A, 22.5W MAX.
OUTPUT-LIGHTNING: 5V/2.4A, 12W MAX.
WIRELESS OUTPUT: 3W/15W
OUTPUT C+C CABLE+LIGHTNING: 5V/3A, 15W MAX.
SIZE: 110.7*70.7*22.3MM
MATERIAL: ABS+PC

10000MAH

PB–119–10QM



MAGNETIC POWER BANK WITH HOLDER
INPUT-C: 5V/3A, 9V/2A, 12V/1.5A, 18W MAX.
INPUT-C CABLE: 5V/3A, 9V/2A, 12V/1.5A, 18W MAX.
OUTPUT-C: 5V/2.4A, 9V/2.22A, 12V/1.67A, 20W MAX.
OUTPUT-C CABLE: 5V/2.4A, 9V/2.22A, 12V/1.67A, 10V/2.25A, 22.5W MAX.
OUTPUT-LIGHTNING: 5V/2.4A, 12W MAX.
WIRELESS OUTPUT: 3W/15W
OUTPUT C+C CABLE+LIGHTNING: 5V/3A, 15W MAX.
SIZE: 110.7*70.7*22.3MM
MATERIAL: ABS+PC

2000MAH

PB–094–2W



POWER BANK
INPUT-TYPE C:5V/1A
OUTPUT-TYPE C CABLE: 5V/1A
OUTPUT-WIRELESS (IWATCH): 2.5W
SIZE: 66*43*14MM
MATERIAL: ABS

10000MAH

PB–128–2.5W



MAGNETIC POWER BANK
INPUT-C: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A, 30W MAX.
INPUT-C CABLE: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A, 30W MAX.
OUTPUT-C: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A, 30W MAX.
OUTPUT-C CABLE: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A, 30W MAX.
WIRELESS OUTPUT: 3W
OUTPUT C+C CABLE: 5V/3A, 15W MAX.
SIZE: 100*54*27.8MM
MATERIAL: ABS+PC

10000MAH

PB–132–10QC



POWER BANK
INPUT-C: 5V/3A, 9V/2A, 12V/1.5A, 18W MAX.
INPUT-C CABLE: 5V/3A, 9V/2A, 12V/1.5A, 18W MAX.
OUTPUT-C: 5V/2.4A, 9V/2.22A, 12V/1.67A, 20W MAX.
OUTPUT-C CABLE: 5V/2.4A, 9V/2.22A, 12V/1.67A, 20W MAX.
OUTPUT-A: 5V/2.4A, 9V/2A, 10V/2.25A, 12V/1.5A, 22.5W MAX.
SIZE: 115.1*72*19.5MM
MATERIAL: ABS+PC



PB–121–10QC

10000MAH

POWER BANK
Capacity: 10000mAh
Battery:
NPUT-C1/C2: 5V/3A, 9V/2A, 12V/1.5A, 18W MAX.
OUTPUT-C1/C2: 5V/3A, 9V/2.22A, 12V/1.67A, 20W MAX.
OUTPUT-A: 5V/3A, 9V/2A, 12V/1.5A, 18W MAX.
OUTPUT-C1+C2+A: 5V/3A, 15W MAX.
SIZE: 150*67.9*15.5MM
MATERIAL: ABS

20000MAH

PB–132–20QC



POWER BANK
INPUT-C: 5V/3A, 9V/2A, 12V/1.5A, 18W MAX.
INPUT-C CABLE: 5V/3A, 9V/2A, 12V/1.5A, 18W MAX.
OUTPUT-C: 5V/2.4A, 9V/2.22A, 12V/1.67A, 20W MAX.
OUTPUT-C CABLE: 5V/2.4A, 9V/2.22A, 12V/1.67A, 20W MAX.
OUTPUT-A: 5V/2.4A, 9V/2A, 10V/2.25A, 12V/1.5A, 22.5W MAX.
SIZE: 115.2*72.4*32.5MM
MATERIAL: ABS+PC



PB–121–20QC

20000MAH

POWER BANK
Capacity: 20000mAh
Battery:
INPUT-C1/C2: 5V/3A, 9V/2A, 12V/1.5A, 18W MAX.
OUTPUT-C1/C2: 5V/3A, 9V/2.22A, 12V/1.67A, 20W MAX.
OUTPUT-A: 5V/3A, 9V/2A, 12V/1.5A, 18W MAX.
OUTPUT-C1+C2+A: 5V/3A, 15W MAX.
SIZE: 150*67.9*26.4MM
MATERIAL: ABS

30000MAH

PB–132–30QC



POWER BANK
INPUT-C: 5V/3A, 9V/2A, 12V/1.5A, 18W MAX.
INPUT-C CABLE: 5V/3A, 9V/2A, 12V/1.5A, 18W MAX.
OUTPUT-C1/C2: 5V/2.4A, 9V/2.22A, 12V/1.67A, 20W MAX.
OUTPUT-C CABLE: 5V/2.4A, 9V/2.22A, 12V/1.67A, 20W MAX.
OUTPUT-A1/A2: 5V/2.4A, 9V/2A, 10V/2.25A, 12V/1.5A, 22.5W MAX.
SIZE: 115.5*72*47.8MM
MATERIAL: ABS+PC



PB–121–30QC

30000MAH

POWER BANK
Capacity: 30000mAh
Battery:
INPUT-C1/C2: 5V/3A, 9V/2A, 12V/1.5A, 18W MAX.
OUTPUT-C1/C2: 5V/3A, 9V/2.22A, 12V/1.67A, 20W MAX.
OUTPUT-A: 5V/3A, 9V/2A, 12V/1.5A, 18W MAX.
OUTPUT-C1+C2+A: 5V/3A, 15W MAX.
SIZE: 150*67.9*39.6MM
MATERIAL: ABS



PB-122-10QC-A



PB-122-10QC-B



PB-122-10QC-C



PB-122-10QC-D

10000MAH

Capacity: 10000mAh
Battery:
INPUT-C: 5V/3A, 9V/2A, 12V/1.5A, 18W MAX.
INPUT-C CABLE: 5V/3A, 9V/2A, 12V/1.5A, 18W MAX.
OUTPUT-C: 5V/2.4A, 9V/2.22A, 12V/1.67A, 10V/2.25A, 22.5W MAX.
OUTPUT-C CABLE: 5V/2.4A, 9V/2.22A, 12V/1.67A, 10V/2.25A, 22.5W MAX.
OUTPUT-LIGHTNING: 5V/2.4A, 9V/2.22A, 20W MAX.
OUTPUT C+C CABLE+LIGHTNING: 5V/2.4A, 12W MAX.
SIZE: 78.3*63.2*27MM
MATERIAL: ABS+PC



PB-123-10QC

10000MAH

Capacity: 10000mAh
Battery:
INPUT-C: 5V/3A, 9V/2A, 12V/1.5A, 18W MAX.
INPUT-LIGHTNING: 5V/2A, 10W MAX.
OUTPUT-C: 5V/2.4A, 9V/2.22A, 12V/1.67A, 20W MAX.
OUTPUT-C CABLE: 5V/2.4A, 9V/2.22A, 12V/1.67A, 20W MAX.
OUTPUT-A: 5V/3A, 9V/2A, 12V/1.5A, 10V/2.25A, 22.5W MAX.
OUTPUT-C+C CABLE+A: 5V/3A, 15W MAX.
SIZE: 102*65.8*27MM
MATERIAL: ABS+PC



PB-123-20QC

20000MAH

Capacity: 20000mAh
Battery:
INPUT-C: 5V/3A, 9V/2A, 12V/1.5A, 18W MAX.
INPUT-LIGHTNING: 5V/2A, 10W MAX.
OUTPUT-C: 5V/2.4A, 9V/2.22A, 12V/1.67A, 20W MAX.
OUTPUT-C CABLE: 5V/2.4A, 9V/2.22A, 12V/1.67A, 20W MAX.
OUTPUT-A: 5V/3A, 9V/2A, 12V/1.5A, 10V/2.25A, 22.5W MAX.
OUTPUT-C+C CABLE+A: 5V/3A, 15W MAX.
SIZE: 102*65.8*27MM
MATERIAL: ABS+PC



PB-122-20QC-A



PB-122-20QC-D

20000MAH

Capacity: 20000mAh
Battery:
INPUT-C: 5V/3A, 9V/2A, 12V/1.5A, 18W MAX.
INPUT-C CABLE: 5V/3A, 9V/2A, 12V/1.5A, 18W MAX.
OUTPUT-C: 5V/2.4A, 9V/2.22A, 12V/1.67A, 10V/2.25A, 22.5W MAX.
OUTPUT-C CABLE: 5V/2.4A, 9V/2.22A, 12V/1.67A, 10V/2.25A, 22.5W MAX.
OUTPUT-LIGHTNING: 5V/3A, 9V/2.22A, 20W MAX.
OUTPUT C+C CABLE+LIGHTNING: 5V/2.4A, 12W MAX.
SIZE: 109.2*73.8*32.8MM
MATERIAL: ABS+PC

PB-124-10QC

10000MAH

Capacity: 10000mAh
Battery:
INPUT-C: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A, 30W MAX.
INPUT-C CABLE: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A. 30W MAX.
OUTPUT-C: 5V/3A, 9V/3A, 12V/2.92A, 15V/2.33A, 20V/1.75A, 35W MAX.
OUTPUT-C CABLE: 5V/3A, 9V/3A, 12V/2.92A, 15V/2.33A, 20V/1.75A, 35W MAX.
OUTPUT-LIGHTNING: 5V/3A, 9V/3A, 27W MAX.
OUTPUT C+C CABLE+LIGHTNING: 5V/2.4A, 12W MAX.
SIZE: 75*56.3*30.8MM
MATERIAL: ABS+PC



PB-124-20QC

20000MAH

Capacity: 20000mAh
Battery:
INPUT-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A, 45W MAX.
INPUT-C CABLE: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A, 45W MAX.
OUTPUT-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A, 45W MAX.
OUTPUT-C CABLE: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A, 45W MAX.
OUTPUT-LIGHTNING: 5V/3A, 9V/3A, 27W MAX.
OUTPUT C+C CABLE+LIGHTNING: 5V/2.4A, 12W MAX.
SIZE: 92*70*33.3MM
MATERIAL: ABS+PC



PB-125-10QC

10000MAH

Capacity: 10000mAh
Battery:
INPUT-C: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A, 30W MAX.
INPUT-C CABLE: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A. 30W MAX.
OUTPUT-C: 5V/3A, 9V/3A, 12V/2.92A, 15V/2.33A, 20V/1.75A, 35W MAX.
OUTPUT-C CABLE: 5V/3A, 9V/3A, 12V/2.92A, 15V/2.33A, 20V/1.75A, 35W MAX.
OUTPUT-LIGHTNING: 5V/3A, 9V/3A, 27W MAX.
OUTPUT C+C CABLE+LIGHTNING: 5V/2.4A, 12W MAX.
SIZE: 83*64*27MM
MATERIAL: ABS+PC



PB-125-20QC

20000MAH

Capacity: 20000mAh
Battery:
INPUT-C: 5V/3A, 9V/2A, 12V/1.5A, 18W MAX.
INPUT-C CABLE: 5V/3A, 9V/2A, 12V/1.5A, 18W MAX.
OUTPUT-C: 5V/2.4A, 9V/2.22A, 12V/1.67A, 10V/2.25A, 22.5W MAX.
OUTPUT-C CABLE: 5V/2.4A, 9V/2.22A, 12V/1.67A, 10V/2.25A, 22.5W MAX.
OUTPUT-LIGHTNING: 5V/3A, 9V/2.22A, 20W MAX.
OUTPUT-A: 5V/2.4A, 9V/2A, 12V/1.5A, 10V/2.25A, 22.5W MAX.
OUTPUT C+C CABLE+LIGHTNING: 5V/2.4A, 12W MAX.
SIZE: 124*72*27MM
MATERIAL: ABS+PC



PB-126-10QC

10000MAH

Capacity: 10000mAh
Battery:
INPUT-C: 5V/3A, 9V/2A, 12V/1.5A, 18W MAX.
OUTPUT-C: 5V/2.4A, 9V/2.22A, 12V/1.67A, 20W MAX.
OUTPUT-C CABLE: 5V/2.4A, 9V/2.22A, 12V/1.67A, 10V/2.25A, 22.5W MAX.
OUTPUT-LIGHTNING: 5V/2.4A, 12W MAX.
OUTPUT-A: 4.5V/5A, 5V/4.5A, 9V/2A, 12V/1.5A, 22.5W MAX.
SIZE: 100*70.5*20MM
MATERIAL: ABS+PC



PB-133-20QC100

20000MAH

POWER BANK FOR LAPTOP
INPUT-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3A, 60W MAX.
INPUT-C CABLE: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3A, 60W MAX.
OUTPUT-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A, 100W MAX.
OUTPUT-C CABLE: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3A, 60W MAX.
OUTPUT-A: 5V/3A, 9V/2A, 10V/2.25A, 12V/1.5A
SIZE: 129.5*131.4*18MM
MATERIAL: ABS+PC



P

PACKAGING



COLOR BOX WITH PAPER TRAY
SIZE: 80*30*90MM



COLOR BOX WITH PAPER TRAY
SIZE: 110*30*90MM



OPP BAG
SIZE:100*150MM



COLOR BOX WITH PAPER TRAY
SIZE:90*55MM



COLOR BOX WITH PAPER TRAY
SIZE:80*130*25MM



COLOR BOX WITH PAPER TRAY
SIZE:80*130*35MM





MAGNETIC COLOR BOX



PAPER CARD
SIZE:160*100MM



PAPER WRAP
SIZE:35*23.5*41M



COLOR BOX WITH PAPER TRAY
SIZE: 60*35*100+25MM





COLOR BOX WITH PAPER TRAY
SIZE: 60*35*100+25MM



PAPER WRAP WITH EURO HOLE
SIZE:38*30*62MM



PAPER WRAP WITH EURO HOLE
SIZE:85*45*115MM



COLOR BOX WITH PAPER TRAY
SIZE: 60*35*100+25MM





COLOR BOX WITH PAPER TRAY
SIZE: 60*35*100+25MM